

SAFETY DATA SHEET

1. Identification

Product identifier	LT CONCRETE SEAL	
Other means of identification		
SDS number	571N-15A	
Product code	HIL00499	
Recommended use	Concrete Coating	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/Distributor information		
Manufacturer		
Manufacturer		
Company name	HILLYARD INDUSTRIES	
Address	302 North Fourth St.	
	St. Joseph, MO 64501	
Contact person	Regulatory Affairs	
Telephone number	(816) 233-1321 (Ext. 8285)	
Fax	(816) 383-8485	
E-mail	regulatoryaffairs@hillyard.com	
Emergency telephone #	(800) 424-9300	
	(Only in the event of chemical emergency involving a spill, leak, fire, exposure, or accident involving chemicals.)	

2. Hazard(s) identification

Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	The mixture does not meet the criteria for classification.
Precautionary statement	
Prevention	Avoid prolonged contact with eyes and skin. Use With Adequate Ventilation. Prolonged overexposure to vapors or dust in poorly ventilated area may cause nose and throat irritation. Keep container closed when not in use.
Response	Wash hands after handling. If in eyes, flush with water for 15 minutes. Get medical attention if irritation develops and persists Inhalation: Move to fresh air. Call a physician if symptoms develop or persist. If swallowed: Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER or doctor/physician if you feel unwell.
Storage	Store away from incompatible materials.
Disposal	Buyer assumes all risk and liability associated with disposal of this product (original concentration or dilution) in violation of applicable law in compliance with applicable federal, state and local requirements.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Tributoxyethyl Phosphate		78-51-3	1 - < 3
Other components below report	able levels		90 - 100
*Designates that a specific chemic	al identity and/or percentage of composition has be	een withheld as a trade s	ecret.
4. First-aid measures			
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.		
Skin contact	Wash off with warm water and soap. Get medical attention if irritation develops and persists.		
Eye contact	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lense Continue rinsing. If eye irritation persists: Get medical advice/attention.		
Ingestion	If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention.		
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irr	itation.	
Indication of immediate medical attention and special treatment needed	Treat symptomatically.		
General information	Ensure that medical personnel are aware of the r protect themselves.	material(s) involved, and	take precautions to
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon	dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this w	vill spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be fo	rmed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full prote	ctive clothing must be wo	orn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so v	vithout risk.	
Specific methods	Use standard firefighting procedures and conside	er the hazards of other inv	volved materials.
General fire hazards	No unusual fire or explosion hazards noted.		
6. Accidental release meas	sures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.		
Methods and materials for	This product is miscible in water.		

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground. **Environmental precautions**

7. Handling and storage

containment and cleaning up

Precautions for safe handling	Avoid prolonged exposure. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits	No exposure limits noted for ingredient(s).
Biological limit values	No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Individual protection measure	s, such as personal protective equipment
Eye/face protection	Chemical splash goggles where there is a potential for eye contact.
Skin protection	
Hand protection	Not normally needed. For prolonged or repeated skin contact use suitable protective gloves.
Other	Not normally needed.
Respiratory protection	Not normally needed. In case of insufficient ventilation, wear suitable respiratory equipment.
Thermal hazards	None known.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance	Milky white liquid
Physical state	Liquid.
Form	Liquid.
Color	Not available.
Odor	Non-objectional odor
Odor threshold	Not available
рН	7.5 - 8.5
Melting point/freezing point	Not available.
Initial boiling point and boiling range	> 200 °F (> 93.33 °C)
Flash point	> 200.0 °F (> 93.3 °C) Tag Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or expl	osive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	17.5 mm Hg
Vapor density	0.99 Air = 1
Relative density	1.027 at 77°F
Solubility(ies)	
Solubility (water)	100 Complete
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	8.55 lbs/gal
Percent volatile	74.5 - 75.5 %
VOC (Weight %)	170 g/l
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.

Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Conditions to avoid

Incompatible materials	Strong oxidizing agents.
Hazardous decomposition	No hazardous decomposition products are known.
products	

11. Toxicological information

Information on likely routes of exposure Inhalation Prolonged inhalation may be harmful. Skin contact No adverse effects due to skin contact are expected. Eye contact Direct contact with eyes may cause temporary irritation. Ingestion Expected to be a low ingestion hazard. Symptoms related to the Direct contact with eyes may cause temporary irritation. physical, chemical and toxicological characteristics Information on toxicological effects Acute toxicity Prolonged skin contact may cause temporary irritation. Skin corrosion/irritation Serious eye damage/eye Direct contact with eyes may cause temporary irritation. irritation Respiratory or skin sensitization **Respiratory sensitization** Not a respiratory sensitizer. This product is not expected to cause skin sensitization. Skin sensitization Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed. This product is not expected to cause reproductive or developmental effects. **Reproductive toxicity** Not classified. Specific target organ toxicity single exposure Specific target organ toxicity -Not classified. repeated exposure Aspiration hazard Prolonged inhalation may be harmful. **Chronic effects** Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

	, ,	U 1 1	6 6	
Product		Species	Test Results	
LT CONCRETE SEAL				
Aquatic				
Fish	LC50	Fish	522.613 mg/l, 96 hours estimated	
* Estimates for product may	be based on	additional component data	not shown.	
Persistence and degradability	No data is	No data is available on the degradability of this product.		
Bioaccumulative potential				
Mobility in soil	No data a	vailable.		
Other adverse effects		No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
13. Disposal consideration	ons			
Disposal instructions	Buyer assumes all risk and liability associated with disposal of this product (original concentration or dilution) in violation of applicable law. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.			

Local disposal regulations Dispose in accordance with all applicable regulations.

Material name: LT CONCRETE SEAL

Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Triple rinse (or equivalent). Then offer clean, dry container for recycling or reconditioning.

14. Transport information

DOT

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations	This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List or Exempt.
TSCA Section 12(b) Export	Notification (40 CFR 707, Subpt. D)
Not regulated. CERCLA Hazardous Substa	ince List (40 CFR 302.4)
Not listed.	
SARA 304 Emergency relea	se notification
Not regulated. US. OSHA Specifically Regu Not listed.	ulated Substances (29 CFR 1910.1001-1050)
	eauthorization Act of 1986 (SARA)
Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No
SARA 302 Extremely hazard Not listed.	dous substance
SARA 311/312 Hazardous chemical	No
SARA 313 (TRI reporting) Not regulated.	
Other federal regulations	
Safe Drinking Water Act (SDWA)	Not regulated.
US state regulations	
US. California Controlled Su Not listed.	ubstances. CA Department of Justice (California Health and Safety Code Section 11100)
US. Massachusetts RTK - S	ubstance List
Not regulated.	
US. New Jersey Worker and	I Community Right-to-Know Act
Not listed.	ad Osaran ita Dialetta Kasud an
Not listed.	nd Community Right-to-Know Law
US. Rhode Island RTK	
Not regulated.	
US. California Proposition 6	55
California Safe Drinking \	Nater and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain isted as carcinogens or reproductive toxins.

International Inventories

Country(s) or region

Inventory name

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	02-11-2015
Version #	01
HMIS [®] ratings	Health: 1 Flammability: 0 Physical hazard: 0
Disclaimer	No representations or warranties, either express or implied, of merchantability, fitness for a particular purpose, or of any nature are made with respect to the product(s) or information contained in this material safety data sheet. The information and recommendations contained in this Material Safety Data Sheet are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. All information contained herein is presented in good faith and is believed to be appropriate and accurate. The buyer or user assumes all risks associated with the use, misuse or disposal of this product. The buyer or user is responsible to comply with all federal, state or local regulations concerning the use, misuse or disposal of these products.